

EXPERIENCE THE DIFFERENCE

WE MANUFACTURE SUPERIOR CONTAINER SOLUTIONS

Myers Container is passionate about providing superior products and services for all our customers. Quality is embedded in our business, based on lean manufacturing, standardization, and continuous improvement. The best solution for your container needs is one that combines quality with complete life-cycle service. All of our containers are collectible for reuse and or recycling.

Reinforced Chime Drums



Unique Reinforced Chime Rings Help Reduce Drum Bulge Caused By Increased Material Pressure Inside Your Steel Drum.

Product expansion inside a sealed drum caused by external heat requires special reinforcement to prevent the drum from what can be described as bulging, crowning, or bloating. By applying an additional 12 gauge ring on the top and bottom rolled seam of the drum (the chime), we increase the drums capacity to resist deformation and leaking due to expansion of materials. It protects the seal from damage during loading, shipping, or movement in your facility if the bottom chime hits a sharp or blunt object.

Drum Specifications

Close-Up Of 12 Gauge Chime



UN Rating:

1A1/X1.5/300

Thickness (top/body/bottom):

1.4mm / 1.1mm / 1.4mm

Fittings:

- 2" X 3/4" standard

Configuration:

- Tight Head
- 2 rolling hoops

Testing Requirements:

- Hydrostatic pressure tested to 300 kPa
- Minimum stack mass 794 kg
- Actual stack mass 1320 kg

All Drums:

- Comply with ANSI standards
- Overflow capacity 57.2 – 57.75 gallons (208-218.6 liters)
- All Steel tolerances conform to ISO2547

www.myerscontainer.com



 Stavig Group Companies



P: 1.800.406.9377 • E: info@myerscontainer.com